

## CENTRAL INTELLIGENCE AGENCY

## INFORMATION REPORT

This Document contains information affecting the National Defense of the United States, within the meaning of Title 18, Sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law. The reproduction of this form is prohibited.

SECRET/CONTROL - U.S. OFFICIALS ONLY  
SECURITY INFORMATION

COUNTRY	Poland	REPORT	<input type="text"/>	25X1
SUBJECT	Underground Shelters at Redlowo Barracks	DATE	1 December 1953	
		DISTR.		
		NO. OF PAGES	1	
DATE OF INFO.	<input type="text"/>	REQUIREMENT NO.	RD	25X1
PLACE ACQUIRED	<input type="text"/>	REFERENCES	<input type="text"/>	25X1

This is UNEVALUATED  
Information

THE SOURCE EVALUATIONS IN THIS REPORT ARE DEFINITIVE.  
THE APPRAISAL OF CONTENT IS TENTATIVE.  
(FOR KEY SEE REVERSE)

25X1

The new underground shelters near the coastal artillery unit barracks at Redlowo have walls of two reinforced concrete slabs. Each of these slabs is 30 cm. thick and a steel slab is inserted between them. The wall including the three slabs and earth reinforcement is four meters thick.

25 YEAR RE-REVIEW

SECRET/CONTROL - U.S. OFFICIALS ONLY

STATF	<input checked="" type="checkbox"/>	ARMY	<input checked="" type="checkbox"/>	NAVY	<input checked="" type="checkbox"/>	AIR	<input checked="" type="checkbox"/>	FBI	<input checked="" type="checkbox"/>	AEC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
-------	-------------------------------------	------	-------------------------------------	------	-------------------------------------	-----	-------------------------------------	-----	-------------------------------------	-----	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------

(Note: Washington Distribution Indicated By "X"; Field Distribution By "#")